

FALL PROTECTION SYSTEMS





PRODUCT LINE



Whether for temporary or permanent use, the adaptive design of Sector Safety Systems offers a variety of solutions for all kinds of applications—from unprotected roof edges, to open mechanical pits, to hazardous equipment locations or any general fall hazard. This system can stay on a rooftop indefinitely with no risk of compromising a roof membrane.

Best of all, working within the safe zone created by the Sector Safety Systems requires no specific training or personal protective equipment.

CONTOURED COUNTERWEIGHTED GUARDRAIL SYSTEM

MODULAR GUARDRAIL DESCRIPTION Modular Counterweighted Guardrail System (pictured) Contoured Counterweighted Guardrail System (see opposite page) Guard Rail Systems are a passive safety system, offering fall Guard Rail Systems are a passive safety system, offering fall

protection without the need for engineering, annual inspections, training or additional personal protective equipment. This system is installed along open-sided walking surfaces, roofs, terraces, balconies, stairways, ramps, or landings that expose workers to a fall of 4' or greater, making them one of the most efficient and costeffective ways to comply with OSHA requirements.

PORTABLE GUARDRAIL



DESCRIPTION

Designed to be easily installed section-by-section, the Portable Guard Rail system quickly adapts to suit your needs during construction, around roof access points, or when temporary projects exist. The patented, cantilevered base uses proprietary geometry to achieve maximum safety with minimal weight. It disperses weight across a large footprint to ensure that a roof's membrane is never compromised.



COUNTERWEIGHTED GUARDRAIL BASE

- Units nest together for easy transportation or shipping
- Bearing pressure is 1.3 psi per base
- Exceeds OSHA safety standards
- Non-penetrating design
- Contour design prevents water ponding or trapped debris
- Base weight: 89 lbs ±1lb

NEW PRODUCT

WEATHERTITE SYSTEMS

Weathertite bases can be installed in up to just ten minutes and are waterproofed at roof-height, featuring integrated, manufacturerapproved flashing.

WEATHERTITE GUARDRAIL

The Weathertite Guardrail system is a passive safety system that offers fall protection without the need for engineering, annual inspections, or additional personal protective equipment.

PRODUCT LINE



The roof hatch represents the greatest exposure to fall hazards in a rooftop environment, since everyone who goes onto the roof must use it. SafePro products were created to keep the roof hatch safe and secure, allowing users to pass through the roof hatch while maintaining adequate contact with the ladder, and mitigating the fall risk through the hatch opening for users working on the roof.

SAFEPRO ROOF HATCH SAFETY RAILS

SAFEPRO ROOF HATCH DESCRIPTION • Durable Construction • Galvanized, 14 gauge steel, gray primed finish Interior locking feature for added safety • Compression springs & handle for assisted open and • close Pre-drilled holes for simple install of Roof Hatch Safety • Rails Pre-assembled automatic roof hatch opener available • Hatch comes with base primer coat, ready for you to • paint the color of your choice

SAFEPRO ROOF HATCH SAFETY RAILS DESCRIPTION OSHA compliant and guaranteed to last five years. Self-closing gate provides two additional ladder rungs for safe egress and ingress. Simple install with ten bolts and four pieces. Gate access options for either the front or side of the roof hatch. Standard Sizes: 30x36 | 36x36 | 30x54 | 48x48 | 30x96





DESCRIPTION

- OSHA/CAL-OSHA compliant
- Automatically open, close, lock, and unlock
- Retrofit to most hatch brands
- Restrict unauthorized rooftop access
- Plug and play installation
- 110VAC standard power
- Integrate possible with most security systems
- Access by Remote Control, Keypad or Access Card

PRODUCT LINE



These products create safe access to rooftop equipment and safe passage over pipes and between roof levels.

RTA SECTOR PRODUCT FAMILY | ROOFTOPANCHOR.COM

6

SKYLIGHT SCREEN



DESCRIPTION

The Skylight Screen is a non-penetrating wire cage that prevents workers from stepping or falling through a skylight.

CROSSOVERS



ESCRIPTION

These crossovers span across pipes, ducts, expansion joints, elevation changes, and other potential obstructions with an engineered stair access. Slip resistant interlock planking is used on all walking surfaces.

SERVICE PLATFORMS



DESCRIPTION

These platforms offer secure, elevated access to equipment in almost any setting. Slip resistant interlock planking is used on all walking surfaces.

RAMPS



DESCRIPTION

Surefoot Ramps offer solutions for wheeled access to areas previously blocked by rooftop pipes, structural gaps, or minor elevation changes. This allows for heavy items to be rolled in or out for placement or service.



PHYSICAL ADDRESS MAILING ADDRESS

875 S 600 W Heber City, UT 84032 Heber City, UT 84032

844 S 430 W, Ste 200

Phone: (800) 411-3914 Fax: (801) 839-2929

sales@rooftopanchor.com www.rooftopanchor.com